


FS1i and FS2i sockets

www.renishaw.com/lp2



FS1i and FS2i sockets

The FS1i and FS2i sockets are used for holding the LP2 or LP2H probe. Each contains an integral interface, which converts the probe signal into a voltage-free solid state relay (SSR) output, for connection to the CNC machine's control.

SSR's are susceptible to electromagnetic interference, so the cable must be routed so as to avoid power cables or other sources of high frequency electromagnetic interference.

Copyright

© 2002 - 2008 Renishaw plc. All rights reserved.

Renishaw® is a registered trademark of Renishaw plc.

This document may not be copied or reproduced in whole or in part, or transferred to any other media or language, by any means, without the prior written permission of Renishaw plc.

CE

EMC compliance

The FS1i and FS2i have been manufactured to conform to the following standard:-

BS EN 61326: 1998 - Electrical equipment for measurement, control and laboratory use - EMC requirements.

Immunity to annex A - industrial locations.

Emissions to class A (non-domestic) limits.

and comply with the protective requirements of directive:-

89/336/EEC - Electromagnetic compatibility

Care of equipment

FS1i and FS2i are precision devices and must therefore be treated with care.

Always ensure the probe holder is clean and dry before inserting the probe.

Changes to Renishaw products

Renishaw plc reserves the right to improve, change or modify its products and documentation without incurring any obligations to make changes to Renishaw equipment previously sold or distributed.

Electrical

| Supply voltage | 12 Vdc to 30 Vdc |
|---------------------|------------------------------------|
| Supply current | 18 mA nominal, |
| | 25 mA max. |
| Output current max. | 50 mA |
| Output type | Voltage free SSR |
| Protection | Short circuit protected output. |
| | The interface must be powered from |
| | a suitably fused supply. |

Warranty

Renishaw plc warrants its equipment for 1 year provided that it is installed exactly as defined in this document

Claims under warranty must be made from Authorised Service Centres only, which may be advised by the supplier or distributor.

Patents

The publication of material within this document does not imply freedom from the patent rights of Renishaw plc.

Safety

It is the responsibility of the machine supplier to ensure that the user is made aware of any hazards involved in the operation of their machine, including those mentioned in Renishaw product documentation, and to ensure that adequate guards and safety interlocks are provided.

Connection

| | Normally closed* | Normally open* | |
|------------|--------------------------------|------------------|--|
| Red | 12 Vdc to 30 Vdc | 0 Vdc | |
| Blue | 0 Vdc | 12 Vdc to 30 Vdc | |
| Yellow | Probe status, voltage free SSR | | |
| Green | Probe status, voltage free SSR | | |
| Grey/black | Cable screen, machine GND | | |

^{*} Refers to the SSR contacts when the probe is in seated state.


Specification

| Storage temperature | –10 °C to 70 °C |
|-----------------------|---|
| Operating temperature | 10 °C to 40 °C |
| IP rating | IPX8 |
| Cable | 4 core screen cable with polyurethane sheath. Each core 7/0.2 insulated. Ø4.35 mm x 1.0 m (3 ft 3 in) |
| Weight | 70 g |



High speed skip installation

5 V high speed skip (HSS) inputs may be susceptible to electromagnetic interference, hence the cable should be run in ducting used for signal cables. Where this is not possible, a 24 V high speed SSR can be used to switch the 5 V to the HSS input inside the control cabinet, as shown in the diagram below. This will provide greater isolation and noise immunity.



T +44 (0)1453 524524 F +44 (0)1453 524901 E uk@renishaw.com

www.renishaw.com



Parts list - please quote the part number when ordering equipment

| Туре | Part no. | Description | | |
|--|-------------|--|--|--|
| FS1i | A-4163-1000 | FS1i adjustable socket assembly, two adjusting screws, protective cover. | | |
| FS2i | A-4163-2000 | FS2i fixed socket assembly, protective cover. | | |
| PSU3 | A-2019-0018 | PSU3 power supply unit. | | |
| Spanner | A-2063-7587 | C-spanner. | | |
| Protective cover | M-2063-7628 | Cover protects against chips and coolant when probe is removed. | | |
| Adjusting screw | P-SC11-0508 | Grubscrew M5 × 0.8 - 8 mm long. | | |
| Publications. These can be downloaded from our web site at www.renishaw.com. | | | | |
| FS1i and FS2i sockets | H-2000-2073 | Data sheet: FS1i and FS2i sockets (folded). | | |
| FS1i and FS2i sockets | H-2000-2078 | Data sheet: FS1i and FS2i sockets (unfolded). | | |
| PSU3 | H-2000-2200 | Data sheet: Power supply unit. | | |

For worldwide contact details, please visit our main web site at www.renishaw.com/contact