




SEE DESIGN STANDARD DS336 FOR DEFINITION OF  SYMBOL. SEE DESIGN STANDARD DS520 FOR DEFINITION OF R & FP No. UNLESS OTHERWISE STATED: ALL DIMENSIONS IN MILLIMETRES & APPLY BEFORE FINISHING TOL. ±0,25 ANGLES ±2° REMOVE SHARP CORNERS - CHAMFER OR R0,5 MAX. INTERNAL RADII 0,5 MAX. SURFACE TEXTURE -  3,2 THREADS TO BS 3643 6g/6H. DRAWING PRACTICE TO BS 8888	<div>3rd ANGLE PROJECTION</div> <div></div> <div>DO NOT SCALE</div>	TITLE VPCP SLIDING LID		DRAWN BY SS	DRAWN DATE 21/01/15	SHEET 1 OF 1	CHECKED RGD
		RENISHAW MATL R CODE _____	MATERIAL (ENTER R OR FP CODE TO VIEW EQUIVALENT MATERIAL SPEC USING SUPPLIER PORTAL SITE @ WWW.RENISHAW.COM) _____				
	CONFIDENTIAL. THIS DRAWING IS THE PROPERTY OF © RENISHAW plc, AND MAY NOT BE COPIED OR USED FOR ANY PURPOSE, OTHER THAN THAT FOR WHICH IT IS SUPPLIED, WITHOUT THE EXPRESS WRITTEN AUTHORITY OF RENISHAW plc.	<div>RENISHAW®</div> <div>Wotton - under - Edge Glos. England. GL12 8JR</div>			SCALE U.O.S. 1:1	DRAWING No. LA-5378-1635-A	

SHEET		1	TITLE		DRG. No.	
CONT. ON NEXT SHT.			VPCP SLIDING LID		LA-5378-1635	
MOD. ISS.		DETAILS OF CHANGE			CIN	SIGN DATE
A		FIRST ISSUE MODEL GEOMETRY EQUIVALENT TO A-5378-1635-05			88997	SS 21/01/15
RENISHAWDRAWING MODIFICATION SHEET						